

Mallia™



Express Yourself Like Never Before





It's s simple

Mixing colours is a breeze with Mallia™. With four new metal plates added to the current range, the possibilities are not only endless, but also exciting.



LOOK



LOOK Love at First Sight 4
 TOUCH Something to Behold 10
 LOVE Marvel at the Versatility 12
 WOO Form and Functionality 18
 CLOSE Detail Catalogue 20

Bedazzled by the New Shine?

You should be. When new shine meets all-time favourites, it is natural that your gaze lingers for just a tad longer.



Brushed Stainless Steel



Gold



Lacquered Black



Polished Stainless Steel



LOOK

♥ NEW METAL PLATES

Lacquered Black	Gold	White	Pearl	Brass	Bronze	Matt Black
Polished Stainless Steel	Brushed Stainless Steel	Silver	Champagne	Copper	Dark Silver	



Let the plateful of Mallia™ colours delight visual senses. With our enhanced selection of classic matt white, contemporary silver, lustrous pearl, supple copper, muscular bronze, enduring brushed stainless steel, mysterious lacquered black, melodic brass, sexy matt black, there is a colour for every style.

A looker in every sense and absolutely original. Each switch can now have a character and an identity of its very own. Champagne with silver, gold with pearl, polished stainless steel with silver, lacquered black with dark silver and more, the combinations are simply boundless.





Always the Crowd Pleaser

Be it conventional matt white, stylish light silver, elegant pearl or the chic dark silver, the Mallia™ range exudes alluring elegance and uncompromised simplicity – like always.



Silver



White



Pearl




Dark Silver

TOUCH

Something to Behold

From the graceful profile to the sultry curves, the refreshed Mallia™ range is more than just a head turner. Its satin finish assures that the touch is equally sensual. It is definitely a breath-taking experience.



In a class of its own, whether frontal or side, each curve and detail of Mallia™ stamps uniqueness.



A visual and sensory treat as the colours and the complementary finishing converge into a pristine whole.



Not to forget, the slim profile also promises to be a perfect fit for every space and design.

milky smooth



metallic blast



polished appeal



LOVE

Marvel at the Versatility of Mallia™



The full works - 1 to 3 gang transparent rocker "Full Screen" consists of three layers: the Rocker, Blank label and Transparent cover.

LOVE

Ease and control with our sound diffusion system. Choose the standalone unit to regulate sound system and FM radio tuner or the multi-zone control unit that also enables intercom and remote child-monitoring.



Stand alone tuner



Central unit



Loudspeaker



Radio tuner with local control unit

Form does not need to be compromised with Mallia™. TV and FM sockets can now sit right beside the rest of your switches. No compromise to style.



TV female terminal socket



FM-TV socket



1-gang switch



2-gang switch



3-gang switch



4-gang switch



2-gang illuminated switch



3-gang illuminated switch



Bell push-button



Indicator for Do not disturb /
Clean up and bell push-button



Do not disturb / Clean up
2-gang switch



Rotary dimmer

Even more versatile than you expect

The flame of passion just keeps burning stronger and brighter.

In complete harmony to the modern lifestyles demands. No matter how visionary your lifestyle, our renewed range promises to enhance the overall experience – our expression of affection.

Beyond getting the ergonomics right, Mallia™ goes the distance to ensure that form always complements the function. We give the freedom to express creativity – our speech of love.

Be connected to the world in style with telephone and data sockets from Mallia.



Telephone socket



Data socket



We know what counts. Mallia™'s automatic switch and time delay switches help to save energy, so that there is more for other things.



Rotary dimmer control and 2 way switch



Automatic switch



Time delay switch



Fan speed control



Telephone socket




2-gang switch with transparent rocker and label holder



1-gang 45A DP switch with LED indicator



1-gang (BS) socket outlet



2-gang socket outlet



Multistandard socket outlet



Automatic switch



FM-TV socket

Irresistibly charming. The Mallia™ range is so easy to love. Like a chameleon that is highly adaptable, Mallia™ rises up to the occasion, in style – always.



100% flexible. Any design. Any frequency of change. The possibilities are endless with Mallia™.



Our affinity lasts a lifetime. Not only does Mallia™ offer form and function in our expanded range, we also take care to ensure that the installation process is effortless. This justifies that the love for us is well-placed.





Resilient and flexible material used for the plates make it easy for mounting on uneven surfaces.



Slim design of the mechanisms gives way for larger wiring space in the box.


21.6 mm



Mallia™ plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



Safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



It's so easy to perform installation with our top access screws for connecting electrical wires.

Mallia™ single pole switches - complete white



2 810 00



2 810 04



2 810 10



2 810 16

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2 810 00	1 gang - 1-way switch ○ White
10	2 810 01	1 gang - 2-way switch ○ White
4	2 810 08	1 gang - intermediate switch ○ White
10	2 810 02	2 gang - 1-way switch ○ White
10	2 810 03	2 gang - 2-way switch ○ White
10	2 810 04	3 gang - 1-way switch ○ White
10	2 810 05	3 gang - 2-way switch ○ White
10	2 810 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
		Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 34) The LED is not supplied
10	2 810 10	1 gang - 1-way switch ○ White
10	2 810 11	1 gang - 2-way switch ○ White
4	2 810 09	1 gang - intermediate switch ○ White
10	2 810 12	2 gang - 1-way switch ○ White
10	2 810 13	2 gang - 2-way switch ○ White
10	2 810 14	3 gang - 1-way switch ○ White
10	2 810 15	3 gang - 2-way switch ○ White
10	2 810 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Mallia™ single pole switches and double pole switches - complete white



2 810 50



2 810 53



2 810 62



2 810 72

Conform to BS EN 60669 - 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
10	2 810 50	1 gang - 1-way switch ○ White
10	2 810 51	1 gang - 2-way switch ○ White
4	2 810 69	1 gang - intermediate switch ○ White
10	2 810 52	2 gang - 1-way switch ○ White
10	2 810 53	2 gang - 2-way switch ○ White
10	2 810 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 60	1 gang - 1-way ○ White
10	2 810 61	1 gang - 1-way with LED power indicator ○ White
10	2 810 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 65	Equipped with earth link connector 2 gang - 1-way with LED power indicator ○ White
10	2 810 66	1 gang - 1-way with LED power indicator and cable outlet ○ White
10	2 810 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking ○ White
10	2 810 68	1 gang - 2-way with "WATER HEATER" marking ○ White

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
10	2 810 71	Conform to BS EN 60669 - 1 1 gang - 1-way with red indicator ○ White
10	2 810 72	1 gang - 1-way with red indicator and cooker marking ○ White
5	2 810 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm ○ White

Mallia™ push-buttons, dimmers, automatic switches and other lighting functions - complete white



2 810 40



2 810 84



2 810 91



2 810 75

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack Cat.Nos Push-buttons 10 A - 250 V~

10	2 810 41	N/O contact (push to make) ○ White
10	2 810 40	N/O contact with bell symbol ○ White

Dimmers

10	2 810 80	Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~ - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White
1	2 810 84	Rotary control dimmer + switch 500 W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230 V~ ○ White
1	NEW 2 810 85	Rotary dimmer 60-1000 W for incandescent and halogen lamps 230 V 60-100 VA for halogen lamps with ferromagnetic transformers can control electronic transformers with leading edge behaviour, max. 600 VA Installation without neutral ○ White

Automatic switch

1	2 810 90	IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ ○ White
---	----------	--

Pack Cat.Nos Programmable switch

1	2 810 92	Power supply: 230 VA - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact ○ White
---	----------	--

Time delay switch

1	2 810 91	Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor ○ White
---	----------	--

Fan speed controls

1	NEW 2 810 81	400 VA rotary fan control ○ White
1	2 810 82	5-speed fan control 100 W for fan with overall diameter 48" ○ White

Cooker control unit 45 A - 250 V~

5	2 810 75	Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm ○ White
---	----------	--

Mallia™ telephone, data, television, shaver sockets and cable outlets - complete white



2 811 60



2 811 65



2 811 35



2 811 47

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets
5	2 811 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White
5	2 811 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White
5	2 811 68	BS master telephone sockets ○ White
5	2 811 69	BS secondary telephone sockets ○ White
10	2 811 70	2 A - 3 pin sockets ○ White

Pack	Cat.Nos	Data sockets
5	2 811 61	RJ 45 Cat. 5e UTP ○ White
5	2 811 62	RJ 45 Cat. 6 UTP ○ White
5	2 811 64	Double RJ 45 Cat. 5e UTP ○ White
5	2 811 65	Double RJ 45 Cat. 6 UTP ○ White

Pack	Cat.Nos	Telephone and data sockets
5	2 811 66	RJ 11 + RJ 45 sockets Cat. 5e UTP ○ White

Pack	Cat.Nos	Television sockets
10	2 811 51	TV female terminal socket ○ White
10	2 811 52	TV female "F" type socket ○ White
5	2 811 53	TV-R terminal socket ○ White
5	2 811 57	TV-R-SAT socket ○ White
2	2 811 55	TV-FM SCV Outlet type F (2 gang) ○ White

Pack	Cat.Nos	Shaver socket
1	2 811 35	Shaver socket 240 V / 120 V~ - 50/60 Hz Dim.: 86 x 146 mm ○ White

Pack	Cat.Nos	Cable outlets
10	2 811 47	20 A ○ White
5	2 811 48	45 A ○ White

Mallia™ British standard socket outlets and fused connection units - complete white



2 811 10



2 811 14



2 811 28



2 811 29

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
10	2 811 10	Conform to BS 1363: Part 2 1 gang unswitched ○ White
5	2 811 12	2 gang unswitched ○ White Dim.: 146 x 86 mm
10	2 811 11	1 gang - single pole switched ○ White
10	2 811 14	1 gang - single pole switched with red power indicator ○ White
5	2 811 13	2 gang - single pole switched ○ White Dim.: 146 x 86 mm
5	2 811 15	2 gang - single pole switched with red power indicator ○ White Dim.: 146 x 86 mm
10	2 811 16	1 gang - double pole switched ○ White
10	2 811 18	1 gang - double pole switched with red power indicator ○ White
5	2 811 17	2 gang - double pole switched ○ White Dim.: 146 x 86 mm
5	2 811 19	2 gang - double pole switched with red power indicator ○ White Dim.: 146 x 86 mm

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
10	2 811 27	Conform to BS 546 1 gang unswitched ○ White
10	2 811 28	1 gang switched ○ White
10	2 811 29	1 gang switched, with red LED power indicator ○ White
10	2 811 31	Conform to BS 546 1 gang unswitched ○ White
10	2 811 32	1 gang switched ○ White
10	2 811 40	13 A fused connection units Conform to BS 1363: Part 4 Unswitched ○ White
10	2 811 41	Switched ○ White
10	2 811 42	Switched with red LED power indicator ○ White

Mallia™ Euro-US and German standard socket outlets - complete white



2 811 00



2 811 20

Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 10/16 A - 250 V~
10	2 811 00	2P - 1 gang ○ White
10	2 811 01	2P - 1 gang + 10 A switch ○ White
10	2 811 02	2P - 2 gang (separated connection) ○ White
10	2 811 03	2P+E - 1 gang ○ White
10	2 811 04	2P+E - 2 gang ○ White

10	2 811 25	German standard socket outlets 16 A - 250 V~ 2P+E - 1 gang ○ White - Vertical mounting
10	2 811 26	○ White - Horizontal mounting

10	2 811 20	Multistandard socket outlets 16 A - 250 V / 15 A - 127 V 2P+E - 1 gang ○ White
----	----------	--

10	2 811 05	US standard socket outlets 15 A - 127 V SASO agreement 2P+E - 1 gang ○ White
10	2 811 06	2P+E - 2 gang ○ White

Red catalogue numbers: New products

Mallia™ switches for hotels, downlighters and sound distribution - complete white



2 810 48



2 810 97



2 811 82




2 811 84

Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 810 48	Key card switch - 15 A Time delay around 30 s ○ White 
10	2 810 45	Do not disturb / Occupied / Clean up Bell push-button ○ White 
10	2 810 46	Do not disturb / Clean up - 2 gang switch ○ White 

Pack	Cat.Nos	Downlighter
5	2 810 97	Low output downlighter 230 V~ , with LED 2P+E - 1 gang ○ White 

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
1	2 811 80	Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers ○ White 

Pack	Cat.Nos	Configurable sound distribution system for several rooms
1	2 811 81	Modular power supply 230 V / 15 V - 15 W 5 DIN modules 17.5 mm 
1	2 811 82	Central unit ○ White 
1	2 811 83	Local control unit With LCD display, child surveillance and intercommunication ○ White 
1	2 811 84	Radio tuner with local control unit Dim.: 146 x 86 mm ○ White 
1	2 811 85	Loudspeaker ○ White 

Mallia™ single pole switches - customisable colours

NEW



2 830 02



2 832 04



2 830 12 + 2 819 98



2 834 16 + 2 819 97



Plate selection charts p. 36-37

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
5	2 830 00	1 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 00	
5	2 834 00	
5	2 830 01	1 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 01	
5	2 834 01	
4	2 830 08	1 gang - intermediate switch ● Silver ● Pearl ● Dark Silver
4	2 832 08	
4	2 834 08	
5	2 830 02	2 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 02	
5	2 834 02	
5	2 830 03	2 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 03	
5	2 834 03	
5	2 830 04	3 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 04	
5	2 834 04	
5	2 830 05	3 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 05	
5	2 834 05	
5	2 830 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver ● Pearl ● Dark Silver
5	2 832 06	
5	2 834 06	
5	2 830 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver ● Pearl ● Dark Silver
5	2 832 07	
5	2 834 07	

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
		Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 34) The LED is not supplied
5	2 830 10	1 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 10	
5	2 834 10	
5	2 830 11	1 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 11	
5	2 834 11	
4	2 830 09	1 gang - intermediate switch ● Silver ● Pearl ● Dark Silver
4	2 832 09	
4	2 834 09	
5	2 830 12	2 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 12	
5	2 834 12	
5	2 830 13	2 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 13	
5	2 834 13	
5	2 830 14	3 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 14	
5	2 834 14	
5	2 830 15	3 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 15	
5	2 834 15	
5	2 830 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver ● Pearl ● Dark Silver
5	2 832 16	
5	2 834 16	
5	2 830 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver ● Pearl ● Dark Silver
5	2 832 17	
5	2 834 17	

Mallia™ single pole switches and double pole switches - customisable colours

NEW



2 834 53



2 830 54



2 832 62



2 834 66



Plate selection charts p. 36-37

Conform to BS EN 60669 - 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
5	2 830 50	1 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 50	
5	2 834 50	
5	2 830 51	1 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 51	
5	2 834 51	
4	2 830 69	1 gang - intermediate switch ● Silver ● Pearl ● Dark Silver
4	2 832 69	
4	2 834 69	
5	2 830 52	2 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 52	
5	2 834 52	
5	2 830 53	2 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 53	
5	2 834 53	
5	2 830 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver ● Pearl ● Dark Silver
5	2 832 54	
5	2 834 54	
5	2 830 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver ● Pearl ● Dark Silver
5	2 832 55	
5	2 834 55	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
5	2 830 60	1 gang - 1-way Equipped with earth link connector ● Silver ● Pearl ● Dark Silver
5	2 832 60	
5	2 834 60	
5	2 830 61	1 gang - 1-way with LED power indicator ● Silver ● Pearl ● Dark Silver
5	2 832 61	
5	2 834 61	
5	2 830 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking ● Silver ● Pearl ● Dark Silver
5	2 832 62	
5	2 834 62	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~ (continued)
5	2 830 65	2 gang - 1-way with LED power indicator ● Silver ● Pearl ● Dark Silver
5	2 832 65	
5	2 834 65	
5	2 830 66	1 gang - 1-way with LED power indicator and cable outlet ● Silver ● Pearl ● Dark Silver
5	2 832 66	
5	2 834 66	
5	2 830 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking ● Silver ● Pearl ● Dark Silver
5	2 832 67	
5	2 834 67	
5	2 830 68	1 gang - 2-way with "WATER HEATER" marking ● Silver ● Pearl ● Dark Silver
5	2 832 68	
5	2 834 68	
5	2 830 71	Double pole switches 45 A - 250 V~ Conform to BS EN 60669 - 1 1 gang - 1-way with red indicator ● Silver ● Pearl ● Dark Silver
5	2 832 71	
5	2 834 71	
5	2 830 72	1 gang - 1-way with red indicator and cooker marking ● Silver ● Pearl ● Dark Silver
5	2 832 72	
5	2 834 72	
5	2 830 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm Use special plates (p. 34) ● Silver ● Pearl ● Dark Silver
5	2 832 73	
5	2 834 73	

Mallia™ push-buttons, dimmers, automatic switches and other lighting functions - customisable colours

NEW



2 830 84



2 834 90



2 832 81



2 812 75



Plate selection charts p. 36-37

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates - Dim.: 86 x 86 mm

Pack Cat.Nos Push-buttons 10 A - 250 V~

5	2 830 41		● Silver ● Pearl ● Dark Silver
5	2 832 41		
5	2 834 41		
5	2 830 40		● Silver ● Pearl ● Dark Silver
5	2 832 40		
5	2 834 40		

N/O contact (push to make)

● Silver
● Pearl
● Dark Silver

N/O contact with bell symbol

● Silver
● Pearl
● Dark Silver

Dimmers

Rotary control dimmer

60-500 W for incandescent and halogen lamps
230 V~
60-300 VA ELV halogen lamps with
ferromagnetic transformer and compensator
Cat.No 0 401 39

1	2 830 80		● Silver ● Pearl ● Dark Silver
1	2 832 80		
1	2 834 80		

Rotary control dimmer + switch

500 W rotary control dimmer + 2-way switch - for
incandescent and halogen lamps 230 V~

1	2 830 84		● Silver ● Pearl ● Dark Silver
1	2 832 84		
1	2 834 84		

Rotary dimmer

60-1000 W for incandescent and halogen lamps
230 V
60-1000 VA for halogen lamps with ferromagnetic
transformers
Can control electronic transformers with leading
edge behaviour, max. 600 VA
Installation without neutral

1	2 830 85		● Silver ● Pearl ● Dark Silver
1	2 832 85		
1	2 834 85		

Automatic switches

IR movement detector
Horizontal detection angle 180°
Luminosity threshold: 43 to 1614 lux
Temporization: 20 s - 15 min
Detection range: max. 12 m
Compatible load: 25 - 200 W for incandescent and
halogen lamps 230 V~

1	2 830 90		● Silver ● Pearl ● Dark Silver
1	2 832 90		
1	2 834 90		

Pack Cat.Nos Programmable switches

Power supply: 230 V~ - 50/60 Hz
Maximum load: 2300 W
Weekly programme
Capacity: max. 28 programmes
Output: 1 changeover contact

1	2 830 92		● Silver ● Pearl ● Dark Silver
1	2 832 92		
1	2 834 92		



● Silver
● Pearl
● Dark Silver

Time delay switches

Adjustable time from 5 min to 12 h
Maximum load:
500 W incandescent and halogen lamps 230 V~
250 W fluorescent lamps without capacitor

1	2 830 91		● Silver ● Pearl ● Dark Silver
1	2 832 91		
1	2 834 91		



● Silver
● Pearl
● Dark Silver

Fan speed controls

400 VA rotary fan controls

1	2 830 81		● Silver ● Pearl ● Dark Silver
1	2 832 81		
1	2 834 81		



● Silver
● Pearl
● Dark Silver

5-speed fan controls

100 W for fan with overall diameter 48"

1	2 830 82		● Silver ● Pearl ● Dark Silver
1	2 832 82		
1	2 834 82		



● Silver
● Pearl
● Dark Silver

Cooker control units 45 A - 250 V~

Supplied complete with plate
Conform to BS 4177
45 A DP switch + 13 A switched socket outlet with
red indicator
Dim.: 146 x 86 mm

5	2 812 75		● Silver ● Pearl ● Dark Silver
5	2 832 75		
5	2 834 75		



● Silver
● Pearl
● Dark Silver

Mallia™ telephone, data, television, shaver sockets and cable outlets - customisable colours

NEW



2 835 63



2 831 62



2 835 51



2 831 35



Plate selection charts p. 36-37

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets
5	2 831 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ● Silver ● Pearl ● Dark Silver
5	2 833 60	
5	2 835 60	
5	2 831 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ● Silver ● Pearl ● Dark Silver
5	2 833 63	
5	2 835 63	
5	2 831 68	BS master telephone sockets ● Silver ● Pearl ● Dark Silver
5	2 833 68	
5	2 835 68	
5	2 831 69	BS secondary telephone sockets ● Silver ● Pearl ● Dark Silver
5	2 833 69	
5	2 835 69	
5	2 831 70	2 A - 3 pin sockets ● Silver ● Pearl ● Dark Silver
5	2 833 70	
5	2 835 70	

Pack	Cat.Nos	Data sockets
5	2 831 61	RJ 45 Cat. 5e UTP ● Silver ● Pearl ● Dark Silver
5	2 833 61	
5	2 835 61	
5	2 831 62	RJ 45 Cat. 6 UTP ● Silver ● Pearl ● Dark Silver
5	2 833 62	
5	2 835 62	
5	2 831 64	Double RJ 45 Cat. 5e UTP ● Silver ● Pearl ● Dark Silver
5	2 833 64	
5	2 835 64	
5	2 831 65	Double RJ 45 Cat. 6 UTP ● Silver ● Pearl ● Dark Silver
5	2 833 65	
5	2 835 65	

Pack	Cat.Nos	Telephone and data sockets
5	2 831 66	RJ 11 + RJ 45 sockets Cat. 5e UTP ● Silver ● Pearl ● Dark Silver
5	2 833 66	
5	2 835 66	
5	2 831 51	Television sockets TV female terminal sockets ● Silver ● Pearl ● Dark Silver
5	2 833 51	
5	2 835 51	
5	2 831 52	TV female "F" type sockets ● Silver ● Pearl ● Dark Silver
5	2 833 52	
5	2 835 52	
5	2 831 53	TV-R terminal sockets ● Silver ● Pearl ● Dark Silver
5	2 833 53	
5	2 835 53	
5	2 831 57	TV-R-SAT sockets ● Silver ● Pearl ● Dark Silver
5	2 833 57	
5	2 835 57	
5	2 831 55	TV-FM SCV outlet type F (2 gang) ● Silver ● Pearl ● Dark Silver
5	2 833 55	
5	2 835 55	

Pack	Cat.Nos	Shaver sockets
1	2 831 35	Shaver sockets 240 V / 120 V~ - 50/60 Hz Dim.: 86 x 146 mm ● Silver ● Pearl ● Dark Silver
1	2 833 35	
1	2 835 35	

Pack	Cat.Nos	Cable outlets
5	2 831 47	20 A Conform to BS 5733 ● Silver ● Pearl ● Dark Silver
5	2 833 47	
5	2 835 47	
5	2 831 48	45 A - supplied complete with plate ● Silver ● Pearl ● Dark Silver
5	2 833 48	
5	2 835 48	

Red catalogue numbers: New products

Mallia™ British standard socket outlets and fused connection units - customisable colours



2 833 13



2 817 18



2 835 28



2 833 42



Plate selection charts **p. 36-37**

Conform to BS EN 60669 – 1. Painted polycarbonate front cover
Compact mechanism for a larger wiring space. Supplied with 2 screws
M 3.5 for BS boxes. All sockets integrate child protection
To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
		Conform to BS 1363: Part 2
5	2 831 10	1 gang unswitched
5	2 833 10	● Silver
5	2 835 10	● Pearl
		● Dark Silver
5	2 831 12	2 gang unswitched - Dim.: 146 x 86 mm
5	2 833 12	● Silver
5	2 835 12	● Pearl
		● Dark Silver
5	2 831 11	1 gang - single pole switched
5	2 833 11	● Silver
5	2 835 11	● Pearl
		● Dark Silver
5	2 831 14	1 gang - single pole switched with red power indicator
5	2 833 14	● Silver
5	2 835 14	● Pearl
		● Dark Silver
5	2 831 13	2 gang - single pole switched - Dim.: 146 x 86 mm
5	2 833 13	● Silver
5	2 835 13	● Pearl
		● Dark Silver
5	2 831 15	2 gang - single pole switched with red power indicator - Dim.: 146 x 86 mm
5	2 833 15	● Silver
5	2 835 15	● Pearl
		● Dark Silver

Pack	Cat.Nos	British standard double pole socket outlets 13 A - 250 V~
		Supplied complete with plate
5	2 813 16	1 gang - double pole switched
5	2 816 16	● Silver
5	2 817 16	● Pearl
		● Dark Silver
5	2 813 18	1 gang - double pole switched with red power indicator
5	2 816 18	● Silver
5	2 817 18	● Pearl
		● Dark Silver
5	2 813 17	2 gang - double pole switched - Dim.: 146 x 86 mm
5	2 816 17	● Silver
5	2 817 17	● Pearl
		● Dark Silver
5	2 813 19	2 gang - double pole switched with red power indicator - Dim.: 146 x 86 mm
5	2 816 19	● Silver
5	2 817 19	● Pearl
		● Dark Silver

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
		Conform to BS 546
5	2 831 27	1 gang unswitched
5	2 833 27	● Silver
5	2 835 27	● Pearl
		● Dark Silver
5	2 831 28	1 gang switched
5	2 833 28	● Silver
5	2 835 28	● Pearl
		● Dark Silver
5	2 831 29	1 gang switched, with red LED power indicator
5	2 833 29	● Silver
5	2 835 29	● Pearl
		● Dark Silver

Pack	Cat.Nos	British standard socket outlets 5 A - 250 V~
		Conform to BS 546
5	2 831 31	1 gang unswitched
5	2 833 31	● Silver
5	2 835 31	● Pearl
		● Dark Silver
5	2 831 32	1 gang switched
5	2 833 32	● Silver
5	2 835 32	● Pearl
		● Dark Silver

Pack	Cat.Nos	13 A fused connection units
		Conform to BS 1363: Part 4
5	2 831 40	Unswitched
5	2 833 40	● Silver
5	2 835 40	● Pearl
		● Dark Silver
5	2 831 41	Switched
5	2 833 41	● Silver
5	2 835 41	● Pearl
		● Dark Silver
5	2 831 42	Switched with red LED power indicator
5	2 833 42	● Silver
5	2 835 42	● Pearl
		● Dark Silver

Mallia™ Euro-US and German standard socket outlets - customisable colours

NEW



2 835 02



2 833 25



2 831 26



Plate selection charts p. 36-37

Painted polycarbonate front cover. Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection. To be equipped with plates
Dim.: 86 x 86 mm

Euro-US standard socket outlets 10/16 A - 250 V~

Pack	Cat.Nos	
5	2 831 00	
5	2 833 00	
5	2 835 00	
		● Silver
		● Pearl
		● Dark Silver
5	2 831 01	
5	2 833 01	
5	2 835 01	
		● Silver
		● Pearl
		● Dark Silver
5	2 831 02	
5	2 833 02	
5	2 835 02	
		● Silver
		● Pearl
		● Dark Silver
5	2 831 03	
5	2 833 03	
5	2 835 03	
		● Silver
		● Pearl
		● Dark Silver
5	2 831 04	
5	2 833 04	
5	2 835 04	
		● Silver
		● Pearl
		● Dark Silver

2P - 1 gang

- Silver
- Pearl
- Dark Silver

2P - 1 gang + 10 A switch

- Silver
- Pearl
- Dark Silver

2P - 2 gang (separated connection)

- Silver
- Pearl
- Dark Silver

2P+E - 1 gang

- Silver
- Pearl
- Dark Silver

2P+E - 2 gang

- Silver
- Pearl
- Dark Silver

German standard socket outlets

16 A - 250 V~

5	2 831 25	
5	2 833 25	
5	2 835 25	
		● Silver - vertical mounting
		● Pearl - vertical mounting
		● Dark Silver - vertical mounting
5	2 831 26	
5	2 833 26	
5	2 835 26	
		● Silver - horizontal mounting
		● Pearl - horizontal mounting
		● Dark Silver - horizontal mounting

Multistandard socket outlets - 16 A - 250 V / 15 A - 127 V

5	2 831 20	
5	2 833 20	
5	2 835 20	
		● Silver
		● Pearl
		● Dark Silver

US standard socket outlets 15 A - 127 V - SASO agreement

5	2 831 05	
5	2 833 05	
5	2 835 05	
		● Silver
		● Pearl
		● Dark Silver
5	2 831 06	
5	2 833 06	
5	2 835 06	
		● Silver
		● Pearl
		● Dark Silver

Mallia™ switches for hotels, downlighters and sound distribution - customisable colours

NEW



2 830 45



2 834 97



2 833 80



2 831 85



Plate selection charts p. 36-37

Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
		Key card switches - 15 A Time delay around 30 s
1	2 830 48	● Silver ● Pearl ● Dark Silver
1	2 832 48	
1	2 834 48	
		Do not disturb / Occupied / Clean up Bell push-buttons
5	2 830 45	● Silver ● Pearl ● Dark Silver
5	2 832 45	
5	2 834 45	
		Do not disturb / Clean up - 2 gang switches
5	2 830 46	● Silver ● Pearl ● Dark Silver
5	2 832 46	
5	2 834 46	
		Downlighters
		Low output downlighters 230 V~ , with LED
5	2 830 97	● Silver ● Pearl ● Dark Silver
5	2 832 97	
5	2 834 97	

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
		Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers
1	2 831 80	● Silver ● Pearl ● Dark Silver
1	2 833 80	
1	2 835 80	
		Configurable sound distribution system for several rooms
		Modular power supply 230 V / 15 V - 15 W 5 DIN modules 17.5 mm
1	2 811 81	
		Central units
1	2 831 82	● Silver ● Pearl ● Dark Silver
1	2 833 82	
1	2 835 82	
		Local control units With LCD display, child surveillance and intercommunication
1	2 831 83	● Silver ● Pearl ● Dark Silver
1	2 833 83	
1	2 835 83	
		Radio tuner with local control units Dim.: 146 x 86 mm
1	2 831 84	● Silver ● Pearl ● Dark Silver
1	2 833 84	
1	2 835 84	
		Loudspeakers
1	2 831 85	● Silver ● Pearl ● Dark Silver
1	2 833 85	
1	2 835 85	

Mallia™ plates, frames, blanking plates, adaptors and accessories - customisable



Plate selection charts **p. 36-37**

Pack	Cat.Nos	Plates
		1 gang
10	2 819 00	○ White
10	2 819 05	● Silver
10	2 819 10	● Champagne
10	2 819 50	● Pearl
10	2 819 55	● Dark Silver
10	2 819 60	● Brass
10	2 819 65	● Bronze
10	2 819 70	● Matt Black
10	2 819 75	● Copper
1	2 819 78	● Brushed Stainless Steel
1	2 819 82	● Gold
1	2 819 86	● Polished Stainless Steel
1	2 819 90	● Lacquered Black
		2 x 1 gang
5	2 819 01	○ White
5	2 819 06	● Silver
5	2 819 11	● Champagne
5	2 819 51	● Pearl
5	2 819 56	● Dark Silver
5	2 819 61	● Brass
5	2 819 66	● Bronze
5	2 819 71	● Matt Black
5	2 819 76	● Copper
1	2 819 79	● Brushed Stainless Steel
1	2 819 83	● Gold
1	2 819 87	● Polished Stainless Steel
1	2 819 91	● Lacquered Black
		2 gang - Vertical
		For 2 gang vertical DP switch 45 A (p. 28)
5	2 819 02	○ White
5	2 819 07	● Silver
5	2 819 12	● Champagne
5	2 819 52	● Pearl
5	2 819 57	● Dark Silver
5	2 819 62	● Brass
5	2 819 67	● Bronze
5	2 819 72	● Matt Black
5	2 819 77	● Copper
1	2 819 80	● Brushed Stainless Steel
1	2 819 84	● Gold
1	2 819 88	● Polished Stainless Steel
1	2 819 92	● Lacquered Black

Pack	Cat.Nos	Blanking plates
		1 gang
10	2 811 90	○ White
10	2 831 90	● Silver
10	2 833 90	● Pearl
10	2 835 90	● Dark Silver
		2 gang
5	2 811 91	○ White
5	2 831 91	● Silver
5	2 833 91	● Pearl
5	2 835 91	● Dark Silver
		Arteor adaptors
		1 gang
5	2 811 92	○ White - Supplied with plate (complete)
5	2 831 92	● Silver - Supplied without plate
5	2 833 92	● Pearl - Supplied without plate
5	2 835 92	● Dark Silver - Supplied without plate
		2 gang
5	2 811 93	○ White - Supplied with plate (complete)
5	2 831 93	● Silver - Supplied without plate
5	2 833 93	● Pearl - Supplied without plate
5	2 835 93	● Dark Silver - Supplied without plate
		Transparent rockers with label holders for switches
		Can be used instead of the standard rocker plates
		Supplied with white labels
5	2 818 95	1 gang
5	2 818 96	2 gang
5	2 818 97	3 gang
		Lamps
10	2 819 97	LED 220 V, green low consumption For locator use
10	2 819 98	LED 220 V, red - high luminosity For indicator use

Mallia™

complete white or customisable colours: find an answer to your needs...

Mallia offers a selection of wiring devices in white and colours
You'll find a solution for every situation in complete, modular or dressable mounting

■ Complete mounting: Mallia White








■ Modular mounting: Mallia White and colours



■ Dressable mounting: Mallia colours



Mallia™ plates selection chart

PLATES							
		Plates					
Size		1 gang	2 x 1 gang	2 x 1 gang	3 x 1 gang	4 x 1 gang	5 x 1 gang
Dimension		86 x 86 mm	146 x 86 mm	172 x 86 mm	258 x 86 mm	344 x 86 mm	430 x 86 mm
White		2 819 00	2 819 01 *	2 816 20	2 816 30	2 816 40	2 816 50
Silver		2 819 05	2 819 06 *	2 816 21	2 816 31	2 816 41	2 816 51
Champagne		2 819 10	2 819 11 *	2 816 22	2 816 32	2 816 42	2 816 52
Pearl		2 819 50	2 819 51 *	2 816 23	2 816 33	2 816 43	2 816 53
Dark Silver		2 819 55	2 819 56 *	2 816 24	2 816 34	2 816 44	2 816 54
Brass		2 819 60	2 819 61 *	2 816 25	2 816 35	2 816 45	2 816 55
Bronze		2 819 65	2 819 66 *	2 816 26	2 816 36	2 816 46	2 816 56
Matt Black		2 819 70	2 819 71 *	2 816 27	2 816 37	2 816 47	2 816 57
Copper		2 819 75	2 819 76 *	2 816 28	2 816 38	2 816 48	2 816 58
Brushed Stainless Steel		2 819 78	2 819 79	-	-	-	-
Gold		2 819 82	2 819 83	-	-	-	-
Polished Stainless Steel		2 819 86	2 819 87	-	-	-	-
Lacquered Black		2 819 90	2 819 91	-	-	-	-

Red catalogue numbers: New products

Mallia™ plate selection charts - customisable (continued)

PLATES		 		 	
		BLANKING PLATES		ARTEOR ADAPTORS	
		1 gang	2 gang	1 gang	2 gang
White		2 811 90	2 811 91	2 811 92	2 811 93
Silver		2 831 90	2 831 91	2 831 92	2 831 93
Pearl		2 833 90	2 833 91	2 833 92	2 833 93
Dark Silver		2 835 90	2 835 91	2 835 92	2 835 93



Legrand Singapore Showroom

15 Jalan Kilang Barat
#07-05 Frontech Centre
Singapore 159357

Tel.: + (65) 6416 1550

Fax: + (65) 6416 1580

Email: customerhub.sg@legrand.com.sg

www.legrand.com.sg